



Handwritten initials: H/

PTO/SB/21 (02-04)

Approved for use through 07/31/2006. OMB 0651-0031  
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

## TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

<b>TRANSMITTAL FORM</b> (to be used for all correspondence after initial filing)	Application Number	10/821761	
	Filing Date		
	First Named Inventor	Sharon Ann Hayes	
	Art Unit		
	Examiner Name		
Total Number of Pages in This Submission	7	Attorney Docket Number	

### ENCLOSURES (Check all that apply)

<input type="checkbox"/> Fee Transmittal Form <input checked="" type="checkbox"/> Fee Attached <input type="checkbox"/> Amendment/Reply <input type="checkbox"/> After Final <input type="checkbox"/> Affidavits/declaration(s) <input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Response to Missing Parts/Incomplete Application <input type="checkbox"/> Response to Missing Parts under 37 CFR 1.52 or 1.53	<input type="checkbox"/> Drawing(s) <input type="checkbox"/> Licensing-related Papers <input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation <input type="checkbox"/> Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s) _____	<input type="checkbox"/> After Allowance communication to Technology Center (TC) <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) <input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input checked="" type="checkbox"/> Other Enclosure(s) (please identify below):
<b>Remarks</b>  ENCLOSURES:  REQUEST TO MAKE SPECIAL W/PRE-EXAMINATION SEARCH & CHECK FOR \$130.00		

### SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm or Individual name	SHARON ANN HAYES
Signature	
Date	4/19/2004

### CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.			
Typed or printed name	Sharon Ann Hayes		
Signature		Date	4/19/2004

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



## Request to Make Special

Application #10/821761

### Real-Time Security Alert & Connectivity System for Real-Time Capable Wireless Cellphones and Palm/Hand-held Wireless Apparatus

#### Statement Regarding Invention

A request for special status is based on this invention's ability to facilitate the immediate security needs of the general public. This design turns over control of the user's home-based surveillance system to the user while they're away via his/her real-time capable cellular or palm/hand-held device. Whether user is mobile, at work, or attending an outing they have full surveillance control and tracking capabilities inside their home and/or throughout their property via their hand-held device.

Ongoing changes in how home security is being handled puts more responsibility on homeowners to protect their own valuables. In parts of the United States, an increase in user-error burglar alerts have prompted officials to pass laws that give police the option to respond or not to respond to a burglar alarm. Should a real thief be in progress, the homeowner's valuables are gone.

With an ever-growing increase in home-thief, and parents' concern for the safety of their latchkey children, the urgency of this invention is evident. Knowing he/she is being watched can send an unauthorized intruder running. Also, the invention's \*send-record trigger makes it an important tool in prosecuting such cases.

Of course, real-time notification of unauthorized entry has been available for years, but this method of surveillance is highly limited due to its lack of flexibility, meaning a centralized back-end system has to be manned. An effective yet costly prospect. This invention offers a more practical alternative for the mass public, because it travels over Wi-Fi, VoIP, seamless roaming and other real-time carrier-type systems, feeding real-time images directly into the users' real-time capable cellular or palm/hand-held device.

There is also a material aspect to this invention, and that is "peace of mind." Knowing they can have better control over protecting family and property would be of paramount importance to the mass population.

The invention is designed to 1) initiate a call to the user immediately upon alert of unauthorized entry, 2) facilitate real-time viewing over real-time capable portable devices, and 3) give users full maneuvering capabilities of their at-home security cameras, monitors and speakers from their hand-held device. The design of the invention also allows users to communicate with intruder, as well as the option to \*send intruder's image to a centralized security database.

Thank you for your review of this request. Please advise if additional information is required.

04/23/2004 EAREGAY1 00000058 10821761

01 FC:1460

130.00 OP



## PRE-EXAMINATION SEARCH

United States Patent

6,698,021

Amini, et al.

February 24, 2004

**System and method for remote control of surveillance devices.**

### Abstract

A system and method for enabling real-time off-site video image storage is disclosed. An off-site storage site is coupled to camera servers at client sites via a private network. Each camera server is further coupled to one or more surveillance cameras. Video images captured by cameras located at the client sites are forwarded to an off-site server via a camera server. Video images received by the off-site server are produced for live viewing and/or archived in an image database. Users can retrieve live or archived video images through a client workstation that communicates with the off-site server over the public Internet. Retrieval of video images is based on a web-browser interface. Live viewing of video images is supplemented by real-time camera control functions that alter the pan-tilt-zoom (PTZ) position of the camera producing the live images. Commands for controlling the PTZ camera are encoded by the client workstation and transmitted to the off-site server. The off-site server converts the camera control codes into control strings that are recognizable by the particular camera.

### U.S. Patent Documents

5467402	Nov., 1995	Okuyama	382/104.
5600368	Feb., 1997	Matthews, III.	
5729471	Mar., 1998	Jain et al.	
5838368	Nov., 1998	Masunaga	348/211.
5903455	May., 1999	Sharpe, Jr. et al.	
6075553	Jun., 2000	Freeman	348/15.
6128298	Oct., 2000	Wooton et al.	370/392.
6185601	Feb., 2001	Wolff	709/203.
6243129	Jun., 2001	Deierling	348/15.
6271805	Aug., 2001	Yozenawa	345/1.
6356949	Mar., 2002	Katsandres et al.	

### Foreign Patent Documents

A 0804031	Oct., 1997	EP.
WO A 9707486	Feb., 1997	WO.

---

**United States Patent  
6,559,769  
Anthony , et al.  
May 6, 2003**

**Early warning real-time security system.**

**Abstract**

An early-warning security system for monitoring and tracking in real-time the activities and movements associated with prescribed personnel, personal property, mobile vehicles, and buildings. The system comprises a plurality of in situ local controllers having a microprocessor and a coordinated plurality of conspicuous and clandestine digital video cameras for continuously producing digital audio and visual signals, uplinking such signals via a suitable wireless telecommunications device to a satellite, general packet radio service, the Internet, intranet or extranet, and then downlinking these signals to a plurality of control centers for recording and analysis thereof. Uplinking of these digital signals may occur continuously or may be activated by a manual or predefined trigger event. Preventative or remedial action is immediately taken when perturbations from normal behavior or activities are observed in the recorded audio and visual signals.

**United States Patent Documents**

6239833	May., 2001	Ozaki	348/159.
6246933	Jun., 2001	Bague.	
6249310	Jun., 2001	Lefkowitz	348/151.
6259475	Jul., 2001	Ramachandran	348/148.
6259476	Jul., 2001	Greene	348/151.
6272147	Aug., 2001	Spratt	370/447.
6275773	Aug., 2001	Lemelson	701/301.

---

**United States Patent  
6,697,378  
Patel  
February 24, 2004**

**Method and apparatus for class based transmission control of data connections based on real-time external feedback estimates obtained using messaging from a wireless network**

## **Abstract**

A system of wireless network with capabilities of transporting data packets, wherein the data transmission activity of each data connection is determined using the localized air interface capacity threshold and available bandwidth estimates obtained via the messages sent by the wireless network (FIG. 3). The system provides a unique and efficient way of providing control over data packet transmissions over a wireless network. The localized wireless network capacity threshold and available bandwidth estimates are obtained via use of empirical formulae and are improved upon via the use of messaging obtained from the wireless network by the Bandwidth Estimator (302) (FIG. 5 and 6). The data transmission activity factors of all data connections are determined by the Bandwidth Estimator using the localized capacity threshold and available bandwidth estimates, along with the priority/class of traffic of specific data calls (FIG. 7). The data transmission activity factors are implemented using the transmission window size update and local queuing by the Data Controller (300) (FIG. 8). Various implementations and interconnectivities of the Bandwidth Estimator and Data Controller functions are outlined (FIGS. 9-13).

---

**United States Patent  
6,680,922  
Jorgensen  
January 20, 2004**

**Method for the recognition and operation of virtual private networks (VPNs) over a wireless point to multi-point (PtMP) transmission system**

## **Abstract**

A packet-centric wireless point to multi-point telecommunications system includes a wireless base station coupled to a first data network; one or more host workstations coupled to the first data network; one or more subscriber customer premise equipment (CPE) stations in wireless communication with the wireless base station over a shared wireless bandwidth using a packet-centric protocol; and one or more subscriber workstations coupled to each of the subscriber CPE stations over a second network; resource allocator optimizing end-user quality of service (QoS) and allocating shared bandwidth among the subscriber CPE stations; a scheduler to schedule an internet protocol (IP) flow over the shared wireless bandwidth. The scheduler includes a prioritizer for prioritizing the IP flow based on priorities of a virtual private network (VPN). The system can include an analyzer for analyzing the virtual private network (VPN) priorities for the IP flow, or for prioritizing all VPN IP flows. The system can include a prioritizer to prioritize the IP flow based on one or more subscriber-defined parameters. In the system, the VPN can include a directory enabled networking (DEN) table management scheme. The VPN can be implemented using a point-to-point tunneling protocol (PPTP). Also included is a method for accomplishing the above.

---

**United States Patent**

**4,536,856**

**Hiroishi**

**August 20, 1985**

**Method of and apparatus for controlling the display of video signal information**

**Abstract**

A video signal display control method and apparatus provide the display control functions for LCD-type or other similar display devices to be attached as output display units to an external microcomputer or other control systems that provide output video signals. The display controller contains computer program codes for processing the output video signals and permitting video signal information to be presented on a scaled-up size, on a scaled-down size, or as a partially extracted information on the physical screen of the display devices. The limitations on the performance of the external microcomputer imposed by the inherent performance of the display devices have thus been eliminated, allowing for the optimum use of the microcomputer performance.

---

**Other References**

Control Shell, The Component-Based Real-Time Programming System Real-Time Innovations, Inc. updates from 5.0 to 5.1, pp. 1-26, Jan. 1996.

Control Shell, The Component-Based Real-Time Programming System, Version 5.1 User's Manual, pages of whole manual chapters 1-11, Appendix, Jun. 1996.

Control Shell, Version 6.0 User's Manual, pages of whole manual chapters 1-15, appendices, Jan. 1999.

"Visual Object-Oriented Programming Concepts and Environments" M.M. Burnett et al, published 1994, pp. 1-274.

"Software Design Methods for Concurrent and Real Time Systems", Hassan Gomaa, pp. 1-447, Jul. 9, 1993.

Object-Oriented Information Systems Planning and Implementation, David A. Taylor, pp. 1-172, 215-282, Apr. 10, 1992.

Rational Rose Using Rational Rose 4.0 Rational Software Corporation, pp. 1-219, Nov. 1996.

Visual Modeling with Rational Rose and UML, Terry Quatrani, pp. 1-222, Third Printing Apr. 1998.

Unified Modeling Language UML BOOCH & OMT Quick Reference for Rational Rose 4.0, Nov. 1996.

Dictionary of Object Oriented Technology, D. Firesmith, p. 85, 1995.